

Safety Data Sheet

Creation Date: 2021/11/04	SDS NO.: 885-1E
Product Name: diisopropylbenzene dihydroperoxede (not more	Version: V2.1.0.1
than 100%)	

SECTION 1 Identification of the chemical and supplier

Chemical Name: diisopropylbenzene dihydroperoxede (not more than 100%)

Synonyms:

CAS No.: 105-74-8 **EC No.:** 203-326-3

Molecular Formula: C24H46O4

Recommended Uses: Please consult manufacturer.

Restrictions on Use: Please consult manufacturer.

Name of the company: Wuxi High Mountain Hi-

tech Development Co.,Ltd.

Address of the company: No.1406, Building 3, Calxon Fortune Center, Financial 3rd Street,

Wuxi, P. R. of China **Post code:** 214000

Fax number: +86-510-85883515 **Tel number:** +86-510-85881876

E-mail address: info@high-mountain.cn

Emergency phone number: +86-510-85881876

SECTION 2 Hazards identification

| Emergency overview

Solid. Risk of fire by heat.

| Hazard classification according to GHS

According to series standards of GB 30000-2013: Rules for classification and labelling of chemicals. (Please refer to 16th chapter of SDS), hazard classification as following: Organic Peroxides, Type D.

| Label elements | Hazard pictograms



Signal word: Danger

Hazard statements: Heating may cause a fire.

Precautionary statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.Keep away from clothing and other combustible materials.Keep only in original packaging.Wear protective gloves/protective clothing/eye protection/face protection.

www.highmountainco.com

Response: Not applicable.

Storage: Protect from sunlight.Store separately.Store at temperatures not exceeding ...°C/...°F.Keep low temperature.

Disposal: Dispose of contents/container in accordance with local/regional/national/ international regulations.

| Hazard description

Physical and chemical hazards

Risk of fire by heat.

Health hazards

Cough.Sore throat.Accidental ingestion of the product may be harmful to the health of the individual.Redness.Pain.Redness.Pain.

Environmental hazards

Please refer to 12th chapter of SDS.

SECTION 3 Composition/information on ingredients

√Substance Mixture

Component	Concentration/Range	CAS No.	
Lauroyl peroxide	<= 100	105-74-8	

SECTION 4 First aid measures

| Description of first aid measures

General advice: Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

Skin contact: Remove contaminated clothes. Rinse and then wash skin with water and soap.

Eye contact: First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.

Inhalation: Fresh air, rest.

Ingestion: Rinse mouth. Give one or two glasses of water to drink. Refer for medical attention.

Advice for protecting the rescuer: Remove all sources of ignition and increase ventilation. Avoid contact with skin and eyes. Avoid inhalation of dusts. Use personal protective equipment including respirator.

Special note to the doctor: Treat symptomatically. Symptoms may be delayed.

SECTION 5 Firefighting measures

| Hazard characteristics

Containers may explode when heated. May expansion or decompose explosively when heated or involved in fire.

www.highmountainco.com

Extinguishing method and media

Suitable extinguishing media: Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media: No special notes.

| Fire precautions and measures

As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

| Environmental precautions

Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

SECTION 7 Handling and storage

| Precautions for handling

Handling is performed in a well ventilated place. Wear suitable protective equipment. Avoid contact with skin and eyes. Keep away from heat/sparks/open flames/ hot surfaces.

| Precautions for storage

Keep containers tightly closed. Keep containers in a dry, cool and well-ventilated place. Keep away from heat/sparks/open flames/hot surfaces. Store away from incompatible materials and foodstuff containers. Storage temperature generally should not be higher than 30 °C, relative humidity generally should not be higher than 80%.

www.highmountainco.com

SECTION 8 Exposure controls/personal protection

| Control parameters

Occupational Exposure limit values

No information available.

Biological limit values

No information available.

Monitoring methods

EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. GBZ/T $160.1 \sim GBZ/T 160.81 - 2004$ Determination of toxic substances in workplace air (Series standard).

| Engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Set up emergency exit and necessary risk-elimination area.

| Respiratory protection

If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.

Eye protection

Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

| Skin and body protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

| Hand protection

Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard.

Other protection

Smoking, eating and drinking water is forbidden in the workplace. After work, shower and change clothes. To maintain good health habits.

SECTION 9 Physical and chemical properties

Appearance: white crystalline				
pH (Specified the concentration) : No information available	Odor: No information available			
Initial boiling point and boiling range(°C): >35	Melting point/freezing point(°C): 49~57			
apor density(Air = 1): Not applicable Density: No information available				
Saturated vapor pressure (kPa): Not applicable	Relative density(Water=1): 0.9			
Evaporation rate: Not applicable	Viscosity(mm2/s): Not applicable			
Flash point(°C): Not applicable	N-octanol/water partition coefficient: No information available			
Decomposition temperature(°C): No information available	Auto-ignition temperature(°C): 112			
Upper/lower explosive limits[%(v/v)]: Upper limit: No information available; Lower limit: No information				
available				
Flammability: No information available				

www.highmountainco.com

SECTION 10 Stability and reactivity

Stability

Stable under proper operation and storage conditions.

| Incompatible materials

No information available

| 应 Conditions to avoid

Incompatible materials, heat, flame and spark.

| Hazardous reactions

No information available

| Decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

Acute toxicity

No information available.

| Carcinogenicity

ID	CAS NO.	COMPONENT	IARC	NTP
1	105-74-8	Lauroyl peroxide	Category 3	Not Listed

| Skin irritation/corrosion

No information available

| Eye irritation/corrosion

No information available

| Skin sensitization

No information available

| Respiratory sensitization

No information available

| Germ cell mutagenicity

No information available

| Reproductive toxicity

No information available

| STOT-single exposure

No information available

| STOT-repeated exposure

No information available

| Aspiration hazard

No information available

SECTION 12 Ecological information

| Acute aquatic toxicity

No information available.

| Chronic aquatic toxicity

No information available.

| Persistence and degradability

No information available

| Bioaccumulative potential

No information available

| Mobility in soil

No information available

Other deleterious effect

No information available.

SECTION 13 Disposal considerations

| Disposal methods

Product: Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

Contaminated packaging: Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

www.highmountainco.com

| Disposal considerations

Refer to section 13.1 and 13.2.

SECTION 14 Transport information

UN number: 3106

UN proper shipping name: ORGANIC PEROXIDE TYPE D,SOLID

Transport hazard class: 5.2

Packing group: Meet the class Π packaging requirements

Label



| Marine pollutant (Yes/No): 否

| Methods of packing

Threaded glass, metal cover pressure bottles, plastic bottles or metal (cans) outside the ordinary wooden box etc. Packaging as recommended by manufacturer.

| Precautions for transport

Strictly prohibited shipping or transportation with acids, flammable goods, organic matter, reducing agents, spontaneous combustion, flammable goods which are wet. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

SECTION 15 Regulatory information

| Regulatory information

COMPONENT	Α	В	С	D	E	F	G	Н
Lauroyl peroxide	Listed	Not Listed						

- [A] Catalog of Hazardous Chemicals (2015 Edition), Notice 5th 2015, China State Administration of Work Safety.
- [B] Catalog of Priority Hazardous Chemicals for Environment Management, Notice 33th 2014, Ministry of Environmental Protection of PRC.
- [C] List of Toxic Chemicals Restricted to be Imported/Exported in China, Notice 85th 2013, Ministry of Environmental Protection of PRC.
- [D] Catalog of Stupefacient and Psychotropic Substances (2013 Edition), Notice 230th 2013, China Food and Drug Administration.
- [E] Catalog of Hazardous Chemicals for Priority Management (First and Second batches), Notice 95th, 2011, Notice 12th 2013, China State Administration of Work Safety.
- [F] List of Ozone Depletion Chemicals Controlled to be Imported/Exported in China (First to Sixth batches), Notice from 2000 to 2012 Ministry of Environmental Protection of PRC.
- [G] Dangerous Chemicals Directory Used to Manufacure Exploder(2011 Edition), Notice 25th Nov. 2011, Ministry of Public Security of PRC1.
- [H] Catalog of Highly Toxic Chemicals, Notice 142th 2003, China Ministry of Health.

SECTION 16 Others

Latest Revision Date: 2021/11/04

| Revision explanation

This Safety Data Sheet (SDS) was prepared according to standards of 《Safety data sheet for chemical products——Content and order of sections》 (GB/T16483-2008) and 《Guidance on the compilation of safety data sheet for chemical products》 (GB/T17519-2013). The result of GHS classification according to 《Guidance

www.highmountainco.com

on the Catalog of Hazardous Chemicals(2015 Edition) (trial) and series standards of 《Rules for classification and labelling of chemicals》 (GB 30000.2-2013~GB 30000.29-2013).

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC) ,website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

| Abbreviations and acronyms

CAS –Chemical Abstracts Service	CMR - Carcinogens, mutagens or substances toxic to			
	reproduction			
PC-STEL- Short term exposure limit	PC-TWA - Time Weighted Average			
DNEL - Derived No Effect Level	IARC - International Agency for Research on Cancer			
RPE - Respiratory Protective Equipment	PNEC –Predicted No Effect Concentration			
LC ₅₀ - Lethal Concentration 50%	LD ₅₀ - Lethal Dose 50%			
NOEC -No Observed Effect Concentration	EC ₅₀ - Effective Concentration 50%			
PBT - Persistent, Bioaccumulative, Toxic	POW - Partition coefficient Octanol:Water			
BCF - Bioconcentration factor (BCF)	vPvB - very Persistent, very Bioaccumulative			
IMDG -International Maritime Dangerous Goods	ICAO/IATA-International Civil Aviation			
	Organization/International Air Transportation Association			
UN -The United Nations	ACGIH-American Conference of Governmental Industrial			
	Hygienists			
NFPA-National Fire Protection Association	OECD -Organization for Economic Co-operation and			
	Development			

Disclaimer

This Safety Data Sheet (SDS) was prepared according to GB/T16483 and GB/T17519. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.